

# SAFETY DATA SHEET (SDS)

				IILET (SDS)		
		Secti	ion 1. Identi	fication		
Product identifi	er 76-93	Béton max				
Other means of	identification	n NONE				
Recommended						
Initial supplier				la Gare, Mascouche, (Québec), J7K om	2Z2, Canada Tél. (450) 477-	
Emergency tele	ohone numbe	· · · ·		4 hour number 613-996-6666		
Emergency tere				lentification		
Classification of	hozordous r	product (name of the category or				
Corrosive to met			subcategory	of the hazard class)		
Skin corrosion (C		1)				
		- 1)				
Serious eye dama						
		- Single exposure (Category 3)				
Information ele	ments (symbol	ols, signal words, hazard stateme	ents and prec	autionary statements of the catego	ry/subcategory)	
H335 May cause P234 Keep only outdoors or in a SWALLOWED: clothing. Rinse s for several minut and keep comfor	rere skin burn respiratory ir in original pac well-ventilate Rinse mouth kin with wate tes. Remove of table for bread lace. Keep co- nal or national	s and eye damage. ritation. ckaging. P260 Do not breathe dust ed area. P280 Wear protective glo a. Do NOT induce vomiting. P303 er. P363 Wash contaminated cloth contact lenses, if present and easy thing. P310 Immediately call a d ontainer tightly closed. P405 Store l regulations. ne	ves/ protectiv 3 + P361 + P. ing before reu to do. Contin loctor. P390 A e locked up. P	64 Wash hands/nails/face thoroughl e clothing/ eye protection/ face pro 353 IF ON SKIN (or hair): Take of ise. P305 + P351 + P338 IF IN EY ue rinsing. P304 + P340 IF INHAL bsorb spillage to prevent material-of 501 Dispose of contents/container in	tection. P301 + P330 + P331 IF ff immediately all contaminated ES: Rinse cautiously with water ED: Remove person to fresh air lamage. P403 + P233 Store in a	
		Section 3. Compos	sition/inforr	nation on ingredients		
Chemical name		me/synonyms)		CAS number or other	Concentration (%)*	
Hydrochloric aci				7647-01-0	10-30	
2-Butoxyethanol				111-76-2	< 5	
Disodium cocoar				68604-71-7	< 5	
* (	Statement - This	s safety data sheet provides concentrati	ion range(s) ins	tead of the actual concentration(s) consid	ered trade secret(s).	
		Section	4. First-aid	measures		
Inhalation	IF INHALI			rtable for breathing. Immediately cal	ll a doctor.	
Ingestion				ting. NEVER give anything by m		
		onsciousness, or is unconscious or convulsing. Rinse mouth thoroughly with water. Have victim drink two glasses of water. If omiting occurs naturally, have victim lean forward to reduce risk of aspiration. Call a doctor if you feel unwell.				
Skin contact				minated clothing. Rinse skin with		
Skill Contact		ed clothing before reuse.	tery all conta	annated clothing. Kinse skin with	water (13-20 minutes). wash	
Eve contect			for coverel m	inutes (15-20). Remove contact ler	and if present and easy to do	
Eye contact			ioi severai ili	indies (13-20). Remove contact lei	ises, if present and easy to do.	
<b>N</b>	Continue ri			1 1 1 1		
		nd effects (acute or delayed)		ere skin burns and eye damage.		
Indication of im	mediate med	lical attention/special treatment		, call a doctor. Do not forget this doc	ument.	
		Section 5	. Fire-fighti	ng measures		
Specific hazards	s of the hazar	dous product (hazardous combu	ustion produc	ets)		
		nt/toxic gases and fumes.	•			
		nguishing media				
In case of fire: Use carbon dioxide, chemical powder agent and appropriate foam to extinguish surrounding products.						
		t and precautions for fire-fighter	<u> </u>			
				r fire area without proper protection.	Firefighters should wear proper	
				Shield personnel to protect from ve		
protective equipit	ioni and sell-0	Jontanieu oreanning apparatus with	run racepiece.	sincia personner to protect nom ve	ning, rupturing of bursting calls.	

protective equipment and self-contained breathing apparatus with full facepiece. Shield personnel to protect from venting, rupturing or bursting cans. Move containers from fire area if it can be done without risk. Water spray may be useful in cooling equipment and cans exposed to heat and flame.



#### Section 6. Accidental release measures

#### Personal precautions, protective equipment and emergency procedures

Absorb spillage to prevent material-damage. Restrict access to area until completion of clean-up. Ensure clean-up is conducted by trained personnel only. All persons dealing with clean-up should wear the appropriate protective equipment (See Section 8).

#### Methods and materials for containment and cleaning up

Ventilate area of release. Stop the leak if it can be done safely. Contain and absorb any spilled liquid concentrate with inert absorbent material, then place material into a container for later disposal (see Section 13). Contaminated absorbent material may pose the same hazards as the spilled product. Notify the appropriate authorities as required.

#### Section 7. Handling and storage

Precautions for safe handling

May be corrosive to metals. Keep only in original packaging. Wear protective gloves/ protective clothing/ eye protection/ face protection.

Before handling, it is very important that engineering controls are operating, and that protective equipment requirements and personal hygiene measures are being followed. People working with this chemical should be properly trained regarding its hazards and its safe use. Inspect containers for leaks before handling. Label containers appropriately. Ensure proper ventilation. Avoid breathing dust/fume/gas/mist/vapours/spray. Avoid contact with eyes, skin and clothing. Keep away from heat, sparks and flame. Avoid generating high concentrations of dusts, vapours or mists. Keep away from incompatible materials (Section 10). Keep containers closed when not in use. Empty containers are always dangerous. Refer also to Section 8.

## Conditions for safe storage, including any incompatibilities

Store in a well-ventilated place. Keep container tightly closed. Keep cool. Store locked up. Store away from incompatible materials (Section 10). Inspect all incoming containers to make sure they are properly labelled and not damaged. Storage area should be clearly identified, clear of obstruction and accessible only to trained personnel. Inspect periodically for damage or leaks.

## Section 8. Exposure controls/Personal protection

Control parameters (biological limit values or exposure limit values and source of those values) Exposure limits: CAS 7647-01-0 – ACGIH – TLV-TWA 2 ppm (ceiling) & PEL-TWA 5 ppm (ceiling); CAS 111-76-2 – ACGIH – TLV-TWA 20 ppm & PEL-TWA 50 ppm;

### Appropriate engineering controls

Use under well-ventilated conditions. Local exhaust ventilation system is recommended to maintain concentrations of contaminants below exposure limits. Make emergency eyewash stations, safety/quick-drench showers, and washing facilities available in work area.

## Individual protection measures/personal protective equipment

Respiratory protection is required if the concentrations are higher than the exposure limits. Use a NIOSH approved respirators if the exposure limits are unknown. Chemically protective gloves (impervious), and other protective clothing to prevent prolonged or repeated skin contact, must be worn during all handling operations. Wear protective chemical splash goggles to prevent mists from entering the eyes. Wash hands/nails/face thoroughly after handling. Do not eat, drink or smoke when using this product. Practice good personal hygiene after using this material. Remove and wash contaminated work clothing before re-use.

Section 9. Physical and chemical properties						
Appearance, physical state/colour Clear liquid	Vapour pressure Not available					
Odour Characteristic	Vapour density Not available					
Odour threshold Not available	Relative density Not available					
<b>pH</b> < 1	Solubility Soluble					
Melting/freezing point Not available	Partition coefficient - n-octanol/water Not available					
Initial boiling point/range Not available	Auto-ignition temperature Not available					
Flash point >93 °C	Decomposition temperature Not available					
Evaporation rate Not available	Viscosity Not available					
Flammability (solids and gases) Not available	VOC Not available					
Upper and lower flammability/explosive limits Not available	Other None known					
Section 10. Stability and reactivity						
Reactivity						
Does not react under the recommended storage and handling conditions prescribed.						
Chemical stability						
Stable under the recommended storage and handling conditions prescribed.						
Possibility of hazardous reactions						
When mixed with incompatible materials.						
Conditions to avoid (static discharge, shock or vibration)						
Keep away from heat, hot surfaces, sparks, open flames and other ignition sources.						
Incompatible materials						
Oxidizing materials; bases; some metals; etc.						
Hazardous decomposition products						
None known.						



Section 11. Toxicological information   Information on the likely routes of exposure (inhalation, ingestion, skin and eye contact)   Causes severe skin burns and eye damage. May cause respiratory irritation. Symptoms related to the physical, chemical and toxicological characteristics					
Causes severe skin burns and eye damage. May cause respiratory irritation.					
Symptoms related to the physical, chemical and toxicological characteristics					
Skin burn, redness, stinging, pain; Eye burn, redness, tearing; Respiratory tract burn, coughing, shortness of breath, dizziness, drowsiness, nausea					
and headaches.					
Delayed and immediate effects (chronic effects from short-term and long-term exposure)					
Skin Sensitization - No data available; Respiratory Sensitization - No data available; Germ Cell Mutagenicity - No data available;					
Carcinogenicity - No ingredient listed by IARC, ACGIH, NTP or OSHA Reproductive Toxicity - No data available; Specific Target Organ					
Toxicity — Single Exposure - Possible; Specific Target Organ Toxicity — Repeated Exposure - No data available; Aspiration Hazard - No data					
available; Health Hazards Not Otherwise Classified – No data available.					
Numerical measures of toxicity (ATE; LD <sub>50</sub> & LC <sub>50</sub> )					
CAS 7647-01-0 LD <sub>50</sub> Oral - Rat - 238 mg/kg; LC <sub>50</sub> Inhalation - Rat - 4 h - 1562 ppm; CAS 111-76-2 LD50 oral, rat 880 mg/kg & LD50 derr	nal,				
rabbit 1060 mg/kg;					
ATE not available in this document.					
Section 12. Ecological information					
Ecotoxicity (aquatic and terrestrial information) No data available					
Persistence and degradability No data available					
Bioaccumulative potential No data available					
Mobility in soil No data available					
Other adverse effects No data available					
Section 13. Disposal considerations					
Information on safe handling for disposal/methods of disposal/contaminated packaging					
Dispose of contents/container into safe container in accordance with local, regional or national regulations.					
Section 14. Transport information					
UN number; Proper shipping name; Class(es); Packing group (PG) of the TDG Regulations					
UN1789; HYDROCHLORIC ACID; CLASS 8; PG II					
UN number; Proper shipping name; Class(es); Packing group (PG) of the IMDG (maritime)					
UN1789; HYDROCHLORIC ACID; CLASS 8; PG II					
UN number; Proper shipping name; Class(es); Packing group (PG) of the IATA (air)					
UN1789; HYDROCHLORIC ACID; CLASS 8; PG II					
<b>Special precautions (transport/conveyance)</b> May also be shipped as a LIMITED QUANTITY in accordance with TDG.					
Environmental hazards (IMDG or other) None					
Bulk transport (usually more than 450 L in capacity) Possible					
Section 15. Regulatory information					
Safety/health Canadian regulations specifics Refer to Section 2 for the appropriate classification. This product has been classification.					
accordance with the hazard criteria of the Hazardous Products Regulations (HPR).					
Environmental Canadian regulations specifics Refer to Section 3 for ingredient(s) of the DSL					
Safety/health/environmental outside regulations specifics					
Salety/nearth/environmental outside regulations specifics					



Section 16. Other information				
Date of the latest revision of the safety data sheet September 30, 2019 version 1 (NSS ENTREPRISE INC.)				
References	Safety Data Sheets from manufacturer/supplier & from Canadian Centre for Occupational Health and Safety, CCOHS.			
Abbreviations				
ACGIH	American Conference of Governmental Industrial Hygienists			
ATE	Acute toxicity estimate			
CAS	Chemical Abstract Service			
DSL	Domestic Substance List			
IARC	International Agency for Research on Cancer			
IATA	International Air Transport Association			
IMDG	International Maritime Dangerous Goods Code			
LC	Lethal concentration			
LD	Lethal Dosage			
NIOSH	National Institute for Occupational Safety and Health			
NTP	National Toxicology Program (U.S.A.)			
OSHA	Occupational Safety and Health Administration (U.S.A.)			
PEL	Permissible Exposure Limit			
STEL	Short-term Exposure Limit			
TDG	Transport of dangerous goods in Canada			
TLV	Threshold Limit Value			
TSCA	Toxic Substances Control Act			
TWA	Time Weighted Average			
WHMIS	Workplace Hazardous Materials Information System			
To the best of our knowledge, the information contained herein is accurate. However, neither the above named supplier nor any of its subsidiaries assumes any liability whatsoever for the accuracy or completeness of the information contained herein. Final determination of suitability of any material is the sole responsibility				
of the user. All materials may present unknown hazards and should be used with caution. Although certain hazards are described herein, we cannot guarantee that				
these are the only l				